

Institut für Bienenkunde
(Polytechnische Gesellschaft)
Fachbereich Biowissenschaften
der J.W. Goethe-Universität Frankfurt am Main
Karl-von-Frisch-Weg 2
61440 Oberursel
Germany

PUBLICATIONS 1992 -2006

Bücher / books

RUTTNER F (1988): Biogeography and Taxonomy of Honeybees. Springer-Verlag Berlin. ISBN 3-540-17781-7

RUTTNER F (1996): Zuchttechnik und Zuchtauslese bei der Biene. Anleitungen zur Aufzucht von Königinnen und zur Kör- und Belegstellenpraxis. 7., neu bearbeitete Auflage. Ehrenwirth Verlag, München. ISBN 3-431-02555-2

RUTTNER F (2003): Naturgeschichte der Honigbienen. 2. Auflage. Franckh-Kosmos Verlag, Stuttgart. ISBN 3-440-09477-4

Original Articles

2006

KEN T, MEIXNER M, FUCHS S, ZHANG X, HE S, KANDEMIR I, SHEPPARD WS, KOENIGER N (2006) Geographic distribution of the eastern honeybee *Apis cerana* (Hymenoptera: Apidae), across ecological zones in China: morphological and molecular analyses. *Systematics and Biodiversity* 4: 473-482.

KRALJ J, BROCKMANN A, FUCHS S, TAUTZ J (2006) The parasitic mite *Varroa destructor* affects non-associative learning in honey bee foragers, *Apis mellifera* L. *J Comp Physiol A*, 193: 363-370.

KRALJ J, FUCHS S (2006) Parasitic *Varroa destructor* mites influence flight duration and homing ability of infested *Apis mellifera* foragers. *Apidologie* 37: 577-587.

2005

- DUANGPHAKDEE O, KOENIGER N, KOENIGER G, WONGSIRI S, DEOWANISH S (2005) Reinforcing a barrier – a specific social defense of the dwarf honeybee (*Apis florea*) released by the weaver ant (*Oecophylla smaragdina*). *Apidologie* 36: 505-511.
- HADDAD N, FUCHS S, HADDADEN J, KOPELKE JP (2005): Record of *Sphecophaga vesparum* Curtis, a natural enemy of the *Vespa orientalis* in northern Jordan. *Zoology in the Middle East* 35: 114-116.
- HEPBURN R, RADLOFF SE, OTIS GW, FUCHS S, VERMA LR, KEN T, CHAIWONG G, TAHMASEBI, WONGSIRI S (2005): *Apis florea*: morphometrics, classification and biogeography. *Apidologie* 36: 359-376.
- HEPBURN R, RADLOFF SE, KOENIGER N, KOENIGER G, TINGEK S (2005): Scaling of the pollen-collecting apparatus and dimensional aspects of foraging flight of honey bees (Hymenoptera: Apidae). *Acta Zoologica Sinica* 51: 947-951
- KOENIGER G, KOENIGER N, TINGEK S, PHIANCHAROEN M (2005): Variance in spermatozoa number among *Apis dorsata* and among *A. mellifera* drones. *Apidologie* 36: 279-284.
- KOENIGER N, KOENIGER G, GRIES M, TINGEK S (2005): Drone competition at drone congregation areas in 4 *Apis* species. *Apidologie* 36: 211-221.
- KOENIGER N, KOENIGER G, PECHHACKER H (2005): The nearer the better? Drones (*Apis mellifera*) prefer nearer drone congregation areas. *Insectes Sociaux* 52: 31-35.
- KRAUS FB, KOENIGER N, TINGEK S, MORITZ RFA (2005): Using drones for estimating colony number by microsatellite DNA analyses of haploid males in *Apis*. *Apidologie* 36: 223-229.
- KRAUS FB, KOENIGER N, TINGEK S, MORITZ RFA (2005): Temporal genetic structure of a drone congregation area of the giant Asian honeybee (*Apis dorsata*). *Naturwissenschaften* 92: 578-581
- LATTORFF HMG, MORITZ RFA, FUCHS S (2005): A single locus determines thelytokous parthenogenesis of laying honeybee workers (*Apis mellifera capensis*). *Heredity*, 1-5.
- MOORS L, SPAAS O, KOENIGER G, BILLEN J (2005): Morphological and ultrastructural changes in the mucus glands of *Apis mellifera* drones during pupal development and sexual maturation. *Apidologie* 36: 245-254.
- RADLOFF SE, HEPBURN R, FUCHS S (2005): The morphometric affinities of *Apis cerana* of the Hindu Kush and Himalayan regions of western Asia. *Apidologie* 36: 25-30.

- RADLOFF SE, HEPBURN HR, FUCHS S, OTIS GW, HADISOESILO S, HEPBURN C, KEN T (2005): Multivariate morphometric analysis of *Apis cerana* populations of oceanic Asia. *Apidologie* 36: 475-492.
- RADLOFF SE, HEPBURN HR, HEPBURN C, FUCHS S, OTIS GW, SEIN MM, AUNG HL, PHAM HT, TAM DQ, NURU AM, KEN T (2005): Multivariate morphometric analysis of *Apis cerana* of southern mainland Asia. *Apidologie* 36: 127-139.
- SCHLÜNS H, MORITZ RFA, LATTORFF HMG, KOENIGER G (2005): Paternity skew in seven species of honeybees (Hymenoptera: Apidae: *Apis*) *Apidologie* 36: 201-209.
- SCHLÜNS H, MORITZ RFA, NEUMANN P, KRYGER P, KOENIGER G (2005): Multiple nuptial flights, sperm transfer, and the evolution of extreme polyandry in honeybee queens. *Animal Behaviour* 70: 125-131.

2004

- BAUDRY E, KRYGER P, ALLSOPP M, KOENIGER N, VAUTRIN D, MOUGEL F, CORNUET J-M; SOLIGNAC M (2004): Whole-genome scan in thelytokous-laying workers of the Cape honeybee (*Apis mellifera capensis*): Central fusion, reduced recombination rates and centromere mapping using half-tetrad analysis. *Genetics* 167: 243-252.
- HADDAD N, FUCHS S (2004): Honeybee agrobiodiversity: A project in conservation of *Apis mellifera syriaca* in Jordan. *Uludag Bee Journal* 4: 116-120.
- KLENK M, KOENIGER G, KOENIGER N, FASOLD H (2004): Proteins in spermathecal gland secretion and spermathecal fluid and the properties of a 29kDA protein in queens of *Apis mellifera*. *Apidologie* 35: 371-381.
- KOENIGER N, KOENIGER G (2004): Mating behavior in honey bees (Genus *Apis*). *Tropical Agricultural Research and Extension* 7: 13-28.
- PHIANCHAROEN M, WONGSIRI S, KOENIGER N, KOENIGER G (2004): Instrumental insemination of *Apis mellifera* queens with hetero- and conspecific spermatozoa results in different sperm survival. *Apidologie* 35, 503-511
- SCHLÜNS H, KOENIGER G, KOENIGER N, MORITZ RFA (2004): Sperm utilization pattern in the honeybee (*Apis mellifera*). *Behavioral Ecology and Sociobiology* 56, 458-463

2003

- FUCHS S (2003): Geographic patterns of honey bee morphology. In: Stadler, J., Hensen, I., Klotz, S., Feldmann, HG.: Biodiversity – from patterns to processes. Verhandlungen der Gesellschaft für Ökologie. Verlag „Die Werkstatt“, Bd. 33: 286.
- KEN T, FUCHS S, KOENIGER N, RUIGUANG Z (2003): Morphological characterization of *Apis cerana* in the Yunnan Province of China. *Apidologie* 34: 553-561.
- KLEINHENZ M, BUJOK B, FUCHS S, TAUTZ J (2003): Hot bees in empty broodnest cells: heating from within. *The Journal of Experimental Biology* 206, 4217-4231.
- PFLUGFELDER J, KOENIGER N (2003): Fight between virgin queens (*Apis mellifera*) is initiated by contact to the dorsal abdominal surface. *Apidologie* 34: 249-256.
- RADLOFF S E, HEPBURN H R, KOENIGER G (2003): Comparison of flight design of Asian honeybee drones. *Apidologie* 34: 353-358.
- SHEPPARD W S, MEIXNER M D (2003): *Apis mellifera pomonella*, a new honey bee subspecies from Central Asia. *Apidologie* 34: 367-375.

2002

- BUJOK B, KLEINHENZ M, FUCHS S, TAUTZ J (2002): Hot spots in the bee hive. *Naturwissenschaften* 89: 299-301.
- FRANCK P, SOLIGNAC M, VAUTRIN D, CORNUET J-M, KOENIGER G, KOENIGER N (2002): Sperm competition and last-male precedence in the honeybee. *Animal Behaviour* 64: 503-509.
- FUCHS S (2002): Selection for behavioural diversity within honeybee colonies. In: C.K. Hemelrijk (ed.) *Self-Organization and Evolution of Social Behaviour*. Al Lab, University of Zürich, Switzerland, pp.81-89.
- KOENIGER G, KOENIGER N, ANDERSON D L, LEKPRAYOON C, TINGEK S (2002): Mites from debris and sealed brood cells of *Apis dorsata* colonies in Sabah (Borneo) Malaysia, including a new haplotype of *Varroa jacobsoni*. *Apidologie* 33: 15-24
- SEN SARMA M, FUCHS S, WERBER CH, TAUTZ J (2002): Worker piping triggers hissing for coordinated colony defence in the dwarf honeybee *Apis florea*. *Zoology* 105: 215-223.
- TINGEK S, KOENIGER N (2002): Exploring the centre of honeybee diversity. *Honeybee Sci.* 23, 145-152.

2000

- DE LA RUA P, SIMON E U, TILDE A C, MORITZ R F A, FUCHS S (2000):
MtDNA variation in *Apis cerana* populations from the Philippines. *Heredity*
84: 124-130
- DINIZ-FILHO J A F, HEPBURN H R, RADLOFF S, FUCHS S (2000): Spatial
analysis of morphological variation in African honeybees (*A. mellifera* L.) on
a continental scale. *Apidologie* 31: 191- 204
- FRANCK P, KOENIGER N, LAHNER G, CREWE R M, SOLIGNAC M (2000):
Evolution of extreme polyandry: an estimate of mating frequency in two
African honeybee subspecies, *Apis mellifera monticola* and *A. m.*
scutellata. *Insectes Sociaux* 47: 364-370
- FUCHS S, LONG L T, ANDERSON D L (2000): A scientific note on the genetic
distinctness of *Varroa* mites on *Apis mellifera* L. and *Apis cerana* Fabr. in
North Vietnam. *Apidologie* 31: 459-460
- KEELING CH I, SLESSOR KN, KOENIGER N, KOENIGER G, PUNCHIHEWA
RWK (2000): Quantitative analysis of the mandibular gland components of
the dwarf honey bee (*Apis florea* Fabricius). *Apidologie* 31: 293-299
- KOENIGER G, KOENIGER N, TINGEK S, KELITU A (2000): Mating flights and
sperm transfer in the dwarf honeybee *Apis andreniformis* (Smith, 1858).
Apidologie 31: 301-311
- KOENIGER N, KOENIGER G (2000): Reproductive isolation among species of
the genus *Apis*. *Apidologie* 31: 313-339
- MEIXNER M D, ARIAS M C, SHEPPARD W S (2000): Mitochondrial DNA poly-
morphisms in honey bee subspecies from Kenya. *Apidologie* 31: 181-190
- NEUMANN P, KOENIGER N, KOENIGER G, TINGEK S, KRYGER P, MORITZ
RFA (2000): Home-site fidelity in migratory honeybees. *Nature* 406: 474-
475
- RUTTNER F; POUR ELMI M; FUCHS S (2000): Ecoclines in the Near East
along 36° N latitude in *Apis mellifera* L. *Apidologie* 31: 157-165
- SEN SARMA M, FUCHS S, TAUTZ J (2000): Debris removal by head-pushing in
Apis florea Fabr. honeybees. *Naturwissenschaften* 87: 241-243
- TILDE M A C, FUCHS S, KOENIGER N, CERVANCIA C R (2000):
Morphometric diversity of *Apis cerana* Fabr. within the Philippines.
Apidologie 31: 249-263

1999

DINIZ-FILHO J A, FUCHS S, ARIAS M C (1999): Phylogeographic correlations of morphological evolution in honey bees (*Apis mellifera L.*). *Heredity* 83: 671-680

HEPBURN S, RADLOFF S E, FUCHS S (1999): Flight machinery dimensions of honeybees, *Apis mellifera*. *J. Comp. Physiol.* 169: 107-112

1998

- ANDERSON D L, FUCHS S (1998): Two genetically distinct populations of *Varroa jacobsoni* with contrasting reproductive abilities on the European honey bee, *Apis mellifera*. *Journal of Apicultural Research* 37: 69-78
- BAUDRY E, SOLIGNAC M, GARNERY L, GRIES M, CORNUET J-M, KOENIGER N (1998): Relatedness among honeybees (*Apis mellifera*) of a drone congregation *Proc. R. Soc. Lond. B.* 265: 2009-2014
- FUCHS S, MORITZ R F A (1998): Evolution of extreme polyandry in the honeybee *Apis mellifera* L. *Behav. Ecol. Sociobiol.* 9: 269-275
- HEPBURN H R, RADLOFF S E, FUCHS S. (1998): Population structure and the interface between *Apis mellifera capensis* and *Apis mellifera scutellata*. *Apidologie* 29: 333-346
- KOENIGER N, TINGEK S, KOENIGER G, GRIES M, KELITU A (1998): Exploring the biodiversity of honeybees. *Borneo, a Magazine on Culture, Nature, Adventure* 4: 18-33
- MORITZ R F A, Fuchs, S (1998): Organization of honeybee colonies: characteristics and consequences of a superorganism concept. *Apidologie* 29:7-21
- RADLOFF S E, HEPBURN H R, FUCHS S (1998): Ecological and morphological differentiation of the honey bees of West Africa. *African Entomol.* 6: 17-23
- REICH S E, FUCHS S, SCHULZ A, URFER W (1998): Geometric approximation of the infestation of honey bee brood cells by *Varroa jacobsoni* Oud and implications for the estimation of brood infestation, for population models, and for the proportion of non-sibling matings. *Journal of Apicultural Research* 37: 115-123

1997

BERG S, KOENIGER N, KOENIGER G, FUCHS S (1997): Body size and reproductive success of drones (*Apis mellifera* L.). *Apidologie* 28: 449-460

CALIS JNM, SCHMIDT-BAILEY J, BEETSMA J, BOOT WJ, VAN DEN EIJNDE JHPM, FUCHS S, DE RUIJTER A, VAN DER STEEN JJM (1997): Successful trapping of *Varroa jacobsoni* with drone brood in broodless *Apis mellifera* colonies. *Apiacta* XXXII: 65-71

SHEPPARD W S, ARIAS M C, MEIXNER M D, GRECH A (1997): *Apis mellifera ruttneri*, a new honey bee subspecies from Malta. *Apidologie* 28: 287-293

1996

- FUCHS S, KOENIGER N; TINGEK S (1996): The morphometric position of *Apis nuluensis* Tingek, Koeniger and Koeniger, 1996 within cavity-nesting honey bees. *Apidologie* 27: 397-405
- GRIES M, KOENIGER N (1996): Straight forward to the queen: pursuing honeybee drones (*Apis mellifera* L.) adjust their body axis to the direction of the queen. *J. Comp. Physiol. A* 179: 539-544
- HADISOESILO S, OTIS G W, MEIXNER M (1996): Two distinct populations of cavity-nesting honey bees. *Journal of the Kansas Entomological Society* 68: 399-407
- KOENIGER G, HÄNEL H (1996): The bulbus gland of drones (*Apis mellifera* L.). *Pszczelnicze Zeszyty Naukowe* 40: 45-54
- KOENIGER G, HÄNEL H, WISSEL M, HERTH W (1996): Cornual gland of the honeybee drone (*Apis mellifera* L.): structure and secretion. *Apidologie* 27: 145-156
- KOENIGER G, KOENIGER N, TINGEK S (1996): Interspecific instrumental insemination of *Apis cerana* Fabricius, 1793, *Apis koschevnikovi* Buttel-Reepen, 1906 and *Apis dorsata* Fabricius, 1793. *Apidologie* 27: 302-304
- KOENIGER G, KOENIGER N, TINGEK S (1996): A scientific note on weight and sperm numbers of drones of *Apis nuluensis* Tingek, Koeniger and Koeniger, 1996. *Apidologie* 27: 427-428
- KOENIGER N, KOENIGER G, GRIES M, TINGEK S, KELITU A (1996): Observations on colony defense of *Apis nuluensis* Tingek, Koeniger and Koeniger, 1996 and predatory behavior of the hornet, *Vespa multimaclulata* Pérez, 1910. *Apidologie* 27: 341-352
- KOENIGER N, KOENIGER G, GRIES M, TINGEK S, KELITU A (1996): Reproductive isolation of *Apis nuluensis* Tingek, Koeniger and Koeniger, 1996 by species-specific mating time. *Apidologie* 27: 353-359
- KOENIGER N, KOENIGER G; TINGEK S, KELITU A (1996): Interspecific rearing and acceptance of queens between *Apis cerana* Fabricius, 1793 and *Apis koschevnikovi* Buttel-Reepen, 1906. *Apidologie* 27: 371-380
- PRAAGH VAN J, NEUMANN P, KOENIGER G; MORITZ R F A, DUSTMANN J H (1996): Mating behaviour of *Apis mellifera* L. queens on an island free of drones. *Pszczelnicze Zeszyty Naukowe* 40: 45-54
- TINGEK S, KOENIGER G, KOENIGER N (1996): Description of a new cavity nesting species of *Apis* (*Apis nuluensis* n. sp.) from Sabah, Borneo, with notes on its occurrence and reproductive biology. *Senckenbergiana biologica* 76 (1/2): 115-119

1995

- GOETZ B (1995): Vergleich der Brutinvasion von *Varroa jacobsoni* in natürliche Wachswaben und Kunststoffwaben mit abweichender Zellform. Pszczelnicze Zeszyty Naukowe 39: 143-148
- KOENIGER N, KOENIGER G, PECHHACKER, H. (1995): Paarungserfolge von Königinnen und Drohnen unterschiedlicher Größe (*Apis mellifera* L.). Pszczelnicze Zeszyty Naukowe 39: 13-20
- KOENIGER N, SCHMIDT J, WILDE J, KEFUSS J, DUCOS DE LAHITTE J (1995): Versuche zur Varroatose-Toleranz von Bienen aus Uruguay in Europa. Pszczelnicze Zeszyty Naukowe 39: 121-131
- MORITZ R F A, KRYGER P, KOENIGER G, KOENIGER N, ESTOUP A, TINGEK S (1995): High degree of polyandry in *Apis dorsata* queens detected by DNA microsatellite variability. Behav. Ecol. Sociobiol. 37: 357-363
- QUEDZUWEIT K, KOENIGER N (1995): Prüfung des Einsatzes von Majoranöl zur Kontrolle des Populationswachstums von *Varroa jacobsoni* unter praxisnahen Bedingungen. Pszczelnicze Zeszyty Naukowe 39: 149-155
- RUTTNER F, MOSSADEGH M S, KAUHAUSEN-KELLER D (1995): Distribution and variation of size of *Apis florea* F in Iran. Apidologie 26: 477-486

1994

- FRISCH B, KOENIGER N (1994): Social synchronization of the activity rhythms of honeybees within a colony. *Behav. Ecol. Sociobiol.* 35: 91-98
- FTAYEH M A, MEIXNER M, FUCHS S (1994): Morphometrical investigations in Syrian honeybees. *Apidologie* 25: 396-401
- FUCHS S (1994): Non-reproduction *Varroa jacobsoni* Oud. in honey bee worker cells – status of mites or effect of brood cells? *Exp. Appl. Acarol.* 18: 309-317
- FUCHS S, SCHADE V (1994): Lower performance in honeybee colonies of uniform paternity. *Apidologie* 25: 155-168
- KOENIGER G, KOENIGER N, TINGEK S (1994): Crossfostered drones of *Apis cerana* (Fabricius, 1793) and *Apis koschevnikovi* (Buttel-Reepen, 1906) fly at their species specific mating times. *Insectes Sociaux* 41: 73-78
- KOENIGER G, KOENIGER N, TINGEK S (1994): Mating flights, number of spermatozoa, sperm transfer and degree of polyandry in *Apis koschevnikovi* (Buttel-Reepen, 1906). *Apidologie* 25: 224-238
- KOENIGER N, KOENIGER G, MARDAN M (1994): Mimicking a honeybee queen? *Vespa affinis indosinensis* Pérez 1910 hunts drones of *Apis cerana* F. 1793. *Ethology* 98: 149-153
- KOENIGER N, KOENIGER G, TINGEK S, KALITU A, MARDAN M (1994): Drones of *Apis dorsata* (Fabricius 1793) congregate under the canopy of tall emergent trees in Borneo. *Apidologie* 25: 249-264
- KRAUS B, KOENIGER N, FUCHS S (1994): Screening of substances for their effect on *Varroa jacobsoni*: attractiveness, repellency, toxicity and masking effects of ethereal oils. *Journal of Apicultural Research* 33: 34-43
- KÜHNERT M E, LAIDLAW H H (1994): Simplified apparatus for instrumental insemination of queen bees with the “flexible insemination technique”. *Apidologie* 25: 144-154
- MEIXNER M D; SHEPPARD W S; DIETZ A; KRELL R (1994): Morphological and allozyme variability in honey bees from Kenya. *Apidologie* 25: 188-202

1993

GOETZ B, KOENIGER N (1993): The distance between larva and cell opening triggers brood cell invasion by *Varroa jacobsoni*. *Apidologie* 24: 67-72

KOENIGER G, KOENIGER N, FUCHS S. (1993): Von einer polygamen Königin und vielen monogamen Drohnen. *Forschung Frankfurt, Wissenschaftsmagazin der J. W. Goethe-Universität Frankfurt am Main* 2: 40-53

KOENIGER N, KOENIGER G, DE GUZMAN LI, LEKPRAYOON C (1993): Survival of *Eugarroa sinhai* Delfinado and Baker (Acari, Varroidae) on workers of *Apis cerana* Fabr, *Apis florea* Fabr. and *Apis mellifera* L. in cages. *Apidologie* 24: 403-410

MEIXNER M D, SHEPPARD W S, POKLUKAR J (1993): Asymmetrical distribution of a mitochondrial DNA polymorphism between 2 introgressing honey bee subspecies. *Apidologie* 24: 147-153

1992

- FUCHS S (1992): Choice in *Varroa jacobsoni* Oud. between honey bee drone or worker brood cells for reproduction. Behav. Ecol. Sociobiol. 31 (6): 429-435
- FUCHS S (1992): Ein Testverfahren zum Vergleich der Varroatoseanfälligkeit in kleinen Volkseinheiten. Annales Universitatis Mariae Curie-Sklodowska, Sectio DD, 47: 127-131
- GOETZ B (1992): The distance between cell edge and larva of *Apis mellifera* as a parameter of brood invasion by *Varroa jacobsoni*. Annales Universitatis Mariae Curie-Sklodowska, Sectio DD, 47: 25-28
- GOETZ B, KOENIGER N (1992): Structural features trigger capping of brood cells in honey bees. Apidologie 23, 211-216
- KÜHNERT T (1992): Bewährtes Zuchtprogramm mit homogen gemischtem Sperma. Mitteilungen über Besamung 4: 2-5
- RUTTNER F (1992): Die wahren Wurzeln der mitteleuropäischen Bienenzucht. (Über ein wenig beachtetes Kapitel deutsch-polnischer Kulturbeziehungen). Annales Universitatis Mariae Curie-Sklodowska, Sectio DD, 47: 145-152
- RUTTNER F, HÄNEL H (1992): Active defense against *Varroa* mites in a *Carniolan* strain of honeybee (*Apis mellifera carnica* Pollmann). Apidologie 23: 173-187
- WILDE J, KOENIGER N (1992): Selection for shorter duration of the post capping phase (pcp) of worker brood of *Apis mellifera carnica*. Annales Universitatis Mariae Curie-Sklodowska, Sectio DD, 47: 133-136